

Government of Jammu & Kashmir Project Management Unit Jhelum & Tawi Flood Recovery Project (JTFRP) JKERA Commercial Complex Rambagh Srinagar.



No:JTFRP/PMU/DT/Camp/2019/404 Date:07-12-2019

Sub: Corrigendum No 03 to Tender No Revised/Roads/Kashmir/01 (Upgradation of Kadlabal Lasjan Rambagh Road & Pampore Pulwama Road.)

The Following Changes are being made in the Bid Document:

1. The package is hereby divided into following lots:

Lot 1: Upgradation of Kadlabal Lasjan Rambagh Road

Lot 2: Upgradation of Pampore Pulwama Road.

The Bidders can bid for individual Lots or whole Package. In case the bidder bids for both lots, the bidder shall meet the qualification criteria for both lots combined. The Lotwise qualification Criteria and other details are as follows:

Lot No	Description	Bid Security (INR)	Time of Completion
Lot 1	Kadlabal Lasjan Rambagh Road	40 Lacs	12 Months, plus DLP of 1 year reckoned from the date of issue of completion certificate.
Lot 2	Upgradation of Pampore Pulwama Road.	110 Lacs	18 Months, plus DLP of 1 year reckoned from the date of issue of completion certificate.
Lot 1 + Lot 2	Upgradation of Kadlabal Lasjan Rambagh Road & Pampore Pulwama Road.	150 Lacs	18 Months, plus DLP of 1 year reckoned from the date of issue of completion certificate.

Note: The Cost of Bidding Document is only 10,000 INR irrespective of fact the bidder bids for a single lot or a combination of lots or whole package.

The Qualification Criteria and BoQ for each Lot is appended as **Annexure A** and **Annexure B** respectively.

Annexure A Qualification Criteria for Lot 1

				Joint Ven	ture where per	mitted	Submission
No.	Subject	Requirement	Single Entity	All Parties Combined	Each Member	One Member	Requirements
2.1 E	lligibility						
2.1.1	Nationality	Nationality in accordance with ITB Sub-Clause 4.3.	Must meet requirement	Existing or intended JV must meet requirement	Must meet requirement	N/A	Forms ELI –1.1 and ELI- 1.2 With attachments
2.1.2	Conflict of Interest	No conflicts of interest in ITB Sub-Clause 4.2.	Must meet requirement	Existing or intended JV must meet requirement	Must meet requirement	N/A	Letter of Bid
2.1.3	Bank eligibility	Not having been declared ineligible by the Bank, as described in ITB Sub-Clause 4.4.& 4.7.	Must meet requirement	Existing JV must meet requirement	Must meet requirement	N/A	Letter of Bid
2.1.4	Government Owned Entity	Applicant required to meet conditions of ITB-A Sub-Clause 4.5. The entity should not be a dependent agency of the borrower or sub-borrower or Employer.	Must meet requirement	Must meet requirement	Must meet requirement	N/A	Forms ELI -1.1 and 1.2 with attachments
2.1.5	United Nations resolution or Borrower's country law	Not having been excluded as a result of prohibition in the Borrower's country laws or official regulations against commercial relations with the Bidder's country, or by an act of compliance with UN Security Council resolution, both in accordance with ITB 4.7 and Section V.	Must meet requirement	Must meet requirement	Must meet requirement	N/A	Forms ELI -1.1 and 1.2 with attachments

				Joint Ven	ture where per	mitted	Submission
No.	Subject	Requirement	Single Entity	All Parties Combined	Each Member	One Member	Requirements
Histo	orical Contract No	n-Performance					
2.2.1	History of Non- Performing Contracts	Non-performance of a contract ¹ did not occur as a result of contractor default since 1 st January 2014.	Must meet requirement by itself or as member to past or existing JV	N/A	Must meet requirement by itself or as member to past or existing JV	N/A	Form CON - 2
2.2.2	Suspension due to withdrawal of the Bid within Bid validity	Not under suspension due to withdrawal of the Bid pursuant ITB 19.6.	Must meet requirement	Must meet requirement	Must meet requirement	N/A	Letter of Bid
2.2.3	Pending Litigation	Bidder's financial position and prospective long term profitability sound according to criteria established in 2.3.1 below and assuming that all pending litigation will be resolved against the Bidder	Must meet requirement by itself or as member to past or existing JV	N/A	Must meet requirement by itself or as member to past or existing JV	N/A	Form CON - 2
2.2.4	Litigation History	No consistent history of court/arbitral award decisions against the Bidder ² since 1 st January 2014	Must meet requirement by itself or as member to past or existing JV	Must meet requirement	Must meet requirement by itself or as member to past or existing JV	N/A	Form CON - 2

_

¹ Non-performance, as decided by the Employer, shall include all contracts where (a) nonperformance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

²The Bidder shall provide accurate information on the letter of Bid about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the last five years. A consistent history of court/arbitral awards against the Bidder or any member of a joint venture may result in disqualifying the Bidder.

				Joint Ven	ture where per	mitted	Submission
No.	Subject	Requirement	Single Entity	All Parties Combined	Each Member	One Member	Requirements
2.2.5	Declaration: Environmental, Social, Health, and Safety (ESHS) past performance	Declare any civil work contracts that have been suspended or terminated and/or performance security called by an employer for reasons related to the non-compliance of any environmental, or social, (including sexual exploitation and abuse (SEA) and gender based violence (GBV)), or health or safety requirements or regulations in the past five years ³ .	Must make the declaration. Where there are Specialized Subcontractor/s, the Specialized Subcontractor/s must also make the declaration.	N/A	Each must make the declaration. Where there are Specialized Subcontractor/s, the Specialized Subcontractor/s must also make the declaration.	N/A	Form CON-3 ESHS Performance Declaration

				Joint Vent	ure where per	mitted	Submission
No.	Subject	Requirement	Single Entity	All Parties	Each Member	One Member	Requirements
	,	1		Combined	Member	Member	Req

2.3 Financial Situation and Performance

2.3.1	Financial Capabilities	(a) The Bidder shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance	(a) Must meet requirement	(a) Must meet the requirement	(a) Must meet at least 25% of the requirement as a minimum	(a) Must meet at least 50% of the requirement as a minimum	Form FIN - 3.1 with
		payment) sufficient to meet the construction cash flow requirements estimated as INR 15 Crores for the subject contract(s) net of the Bidders other commitments (b) The Bidders shall also demonstrate, to the satisfaction of the Employer, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments	(b)) Must meet requirement	(b)) Must meet requirement	N/A	N/A	attachments
		(c) The audited balance sheets or, if not required by the laws of the Bidder's country, other financial statements acceptable to the Employer, for the last	(c) Must meet requirement	N/A	(c) Must meet requirement	N/A	

				Joint Ve	enture where p	ermitted	Submission
No.	Subject	Requirement	Single Entity	All Parties Combined	Each Member	One Member	Requirements
		Five years shall be submitted and must demonstrate the current soundness of the Bidder's financial position and indicate its prospective long-term profitability.					
2.3.2	Annual Construction Turnover	Achieved in at least two financial years (in the last Seven years) a minimum annual financial turnover ⁴ in civil engineering construction work of INR 60 Crores [Sixty Crore Rupees] calculated as total certified payments received for contracts in progress or completed,	Must meet requirement	Must meet requirement	Must meet twenty five percent (25%) of the requirement	Must meet fifty percent (50%) of the requirement	Form FIN - 3.2

⁴ At 2018-19 price level. Financial turnover of previous years shall be given weightage @5% per year based on rupees value to bring them to the price level of the financial year in which bids are received.

				Joint Venture where permitted			Submission
No.	Subject	Requirement	Single Entity	All Parties	Each	One	Requirements
				Combined	Member	Member	Roquiromonio

2.4 Experience

2.4.1	General Construction Experience	Experience under construction contracts for similar works such as those pertaining to CONSTRUCTION OF ROADS in the role of contractor, JV member, subcontractor, or management contractor for at least the last Seven (7) years prior to the bid submission deadline.	Must meet requirement	N/A	Must meet requirement of having executed works of similar nature	N/A	Form EXP – 4.1
2.4.2 (a)	Specific Construction Experience	Bidder should have successfully completed as a prime contractor, JV member ⁵ , management contractor or subcontractor, minimum One (1) civil contract substantially completed within the last Seven (7) years (FY2013-2014.to FY 2019-20), with a value ⁶ of at least INR 24 Crores involving Construction, Upgradation of Roads (Flexible Pavement)	Must meet requirement	Must meet requirement	Any one of JV must meet requ	irement	Form EXP 4.2(a). The contractor should have borne responsibility for execution of works to the extent he claims experience. A contractor should not claim experience for the works he has never executed.

⁵ For contracts under which the Bidder participated as a joint venture member or sub-contractor, only the Bidder's share, by value, shall be considered to meet this requirement.

⁶At 2018-19.price level. Cost of completed works of previous years shall be given weightage @5% per year based on rupees value to bring them to the price level of the financial year in which bids are received.

				Joint Vent	ure where per	mitted	Submission
No.	Subject	Requirement	Single Entity	All Parties Combined	Each Member	One Member	Requirements
demon	strate having experience	and resources sufficient to r	neet the aggregat	e of the qualifyin	g criteria for al	I the contrac	ts in question.
2.4.2 (d)		minimum qualification criteria value of the work. The availa				for construct	tion work is equal to o
	Assessed Available bid	d capacity = $(A*N*2-B)$					
	Where,						
		civil engineering works exect at the rate of 5% per year), to					
	N = Number of years p more than 6 months as	rescribed for completion of the sone year).	e works for which	bids are invited (period upto 6 r	nonths to be	taken as half-year an
	B = Value, at the curre works for which bids at	nt price level, of existing com re invited.	mitments on on-g	oing works to be	completed dur	ing the period	d of completion of the
		in Section IV showing the valu for each of the works listed sh f.					
2.4.2	Even though the bidde	rs may meet the above qualif	ying criteria, they	are subject to be	disqualified if t	ney have: -	
(e)	- made misleadin	g or false representations in t	he forms, stateme	ents, affidavits, an	d attachments	submitted in	proof of the qualificat

- requirement;
 record of poor performance such as abandoning the works, not properly completion or financial failures etc.
 consistent history of litigation or arbitration awards against the bidder or any member or the joint venture.

Qualification Criteria for Lot 2

N.	Cubicat	Do avviso so out	Single	Joint Venture where permitted			Submission
No.	Subject	Requirement	Entity	All Parties Combined	Each Member	One Member	Requirements
2.1 E	lligibility						
2.1.1	Nationality	Nationality in accordance with ITB Sub-Clause 4.3.	Must meet requirement	Existing or intended JV must meet requirement	Must meet requirement	N/A	Forms ELI –1.1 and ELI- 1.2 With attachments
2.1.2	Conflict of Interest	No conflicts of interest in ITB Sub-Clause 4.2.	Must meet requirement	Existing or intended JV must meet requirement	Must meet requirement	N/A	Letter of Bid
2.1.3	Bank eligibility	Not having been declared ineligible by the Bank, as described in ITB Sub-Clause 4.4.& 4.7.	Must meet requirement	Existing JV must meet requirement	Must meet requirement	N/A	Letter of Bid
2.1.4	Government Owned Entity	Applicant required to meet conditions of ITB-A Sub-Clause 4.5. The entity should not be a dependent agency of the borrower or sub-borrower or Employer.	Must meet requirement	Must meet requirement	Must meet requirement	N / A	Forms ELI -1.1 and 1.2 with attachments
2.1.5	United Nations resolution or Borrower's country law	Not having been excluded as a result of prohibition in the Borrower's country laws or official regulations against commercial relations with the Bidder's country, or by an act of compliance with UN Security Council resolution, both in accordance with ITB 4.7 and Section V.	Must meet requirement	Must meet requirement	Must meet requirement	N/A	Forms ELI -1.1 and 1.2 with attachments

			Single Entity	Joint Venture where permitted			Submission
No.	Subject	Requirement		All Parties	Each Member	One	Requirements
Histo	orical Contract No	n-Performance		Combined	Wember	Member	
2.2.1	History of Non- Performing Contracts	Non-performance of a contract ⁷ did not occur as a result of contractor default since 1 st January 2014.	Must meet requirement by itself or as member to past or existing JV	N/A	Must meet requirement by itself or as member to past or existing JV	N/A	Form CON - 2
2.2.2	Suspension due to withdrawal of the Bid within Bid validity	Not under suspension due to withdrawal of the Bid pursuant ITB 19.6.	Must meet requirement	Must meet requirement	Must meet requirement	N/A	Letter of Bid
2.2.3	Pending Litigation	Bidder's financial position and prospective long term profitability sound according to criteria established in 2.3.1 below and assuming that all pending litigation will be resolved against the Bidder	Must meet requirement by itself or as member to past or existing JV	N/A	Must meet requirement by itself or as member to past or existing JV	N/A	Form CON - 2
2.2.4	Litigation History	No consistent history of court/arbitral award decisions against the Bidder ⁸ since 1 st January 2014	Must meet requirement by itself or as member to past or existing JV	Must meet requirement	Must meet requirement by itself or as member to past or existing JV	N/A	Form CON - 2

_

⁷ Non-performance, as decided by the Employer, shall include all contracts where (a) nonperformance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

⁸The Bidder shall provide accurate information on the letter of Bid about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the last five years. A consistent history of court/arbitral awards against the Bidder or any member of a joint venture may result in disqualifying the Bidder.

NI-	Out to at	Dominosos	Single		ure where pe		Submission
No.	Subject	Requirement	Entity	All Parties Combined	Each Member	One Member	Requirements
2.2.5	Declaration: Environmental, Social, Health, and Safety (ESHS) past performance	Declare any civil work contracts that have been suspended or terminated and/or performance security called by an employer for reasons related to the non-compliance of any environmental, or social, (including sexual exploitation and abuse (SEA) and gender based violence (GBV)), or health or safety requirements or regulations in the past five years ⁹ .	Must make the declaration. Where there are Specialized Sub-contractor/s, the Specialized Sub-contractor/s must also make the declaration.	N/A	Each must make the declaration. Where there are Specialized Subcontractor/s, the Specialized Subcontractor/s must also make the declaration.	N/A	Form CON-3 ESHS Performance Declaration

No.	Subject	Requirement	Single Entity	Joint Ver All Parties Combined		One	Submission Requirements
2.3 F	inancial Situation Financial Capabilities	and Performance (a) The Bidder shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as INR 30 Crores for the subject contract(s) net of the Bidders other commitments (b) The Bidders shall also demonstrate, to the satisfaction of the Employer, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contract	(a) Must meet requirement (b) Must meet requirement	(a) Must meet the requirement (b) Must meet requirement	(a) Must meet at least 25% of the requirement as a minimum	(a) Must meet at least 50% of the requirement as a minimum	Form FIN - 3.1 with attachments
		commitments (c) The audited balance sheets or, if not required by the laws of the Bidder's country, other financial	(c) Must meet requirement	N/A	(c) Must meet requirement	N/A	

			Cinale	Joint Ve	nture where p	permitted	Submission
No.	Subject	Requirement	Single Entity	All Parties Combined	Each	One	Requirements
		statements acceptable to the Employer, for the last <i>Five</i> years shall be submitted and must demonstrate the current soundness of the Bidder's financial position and indicate its prospective long-term profitability.					
2.3.2	Annual Construction Turnover	Achieved in at least two financial years (in the last Seven years) a minimum annual financial turnover ¹⁰ in civil engineering construction work of INR 120 Crores [One Hundred and Twenty Crore Indian Rupees] calculated as total certified payments received for contracts in progress or completed,	Must meet requirement	Must meet requirement	Must meet twenty five percent (25%) of the requirement	Must meet fifty percent (50%) of the requirement	Form FIN - 3.2

¹⁰ At 2018-19 price level. Financial turnover of previous years shall be given weightage @5% per year based on rupees value to bring them to the price level of the financial year in which bids are received.

			Single		nture where	permitted	Submission
No.	Subject	Requirement	Entity	All Parties Combined		One Member	Requirements
2.4 E	xperience						
2.4.1	General Construction Experience	Experience under construction contracts for similar works such as those pertaining to CONSTRUCTION OF ROADS in the role of contractor, JV member, subcontractor, or management contractor for at least the last seven [7] years prior to the bid submission deadline.	Must meet requirement	N/A	Must meet requirement of having executed works of similar nature	N/A	Form EXP – 4.1
2.4.2 (a)	Specific Construction Experience	Bidder should have successfully completed as a prime contractor, JV member ¹¹ , management contractor or subcontractor, minimum One (1) civil contract substantially completed within the last Seven(7() years (FY2013-14.to FY 2019-2020), with a value ¹² of at least INR 75 Crores involving Construction, Upgradation of Roads	Must meet requirement	Must meet requirement	Any one of the must meet requ		Form EXP 4.2(a). The contractor should have borne responsibility for execution of works to the extent he claims experience. A contractor should not claim experience for the works he has never executed.

_

¹¹ For contracts under which the Bidder participated as a joint venture member or sub-contractor, only the Bidder's share, by value, shall be considered to meet this requirement.

¹²At 2018-19 .price level. Cost of completed works of previous years shall be given weightage @5% per year based on rupees value to bring them to the price level of the financial year in which bids are received.

			Single	Joint Ventu	rmitted	Submission	
No.	Subject	Requirement	Entity	All Parties Combined	Each Member	One Member	Requirements
		(Flexible Pavement).					
.4.2 (b	For a hidder (ei	ther individually as a single er	ntity or as a IV me	ember) to qualify:	for a group of	lots (contract	s) he must

more than the total bid value of the work. The available bid capacity will be calculated as under: (d)

Assessed Available bid capacity = (A*N*2-B)

Where,

A = Maximum value of civil engineering works executed in any one year during the last five years (updated to the price level of the financial year 2019-20 at the rate of 5% per year), taking into account the completed as well as works in progress).

Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity for construction work is equal to or

N = Number of years prescribed for completion of the works for which bids are invited (period upto 6 months to be taken as half-year and more than 6 months as one year).

B = Value, at the current price level, of existing commitments on on-going works to be completed during the period of completion of the works for which bids are invited.

Note: the statements in Section IV showing the value of existing commitments of on-going works as well as the stipulated period of completion remaining for each of the works listed should be countersigned by the Engineer in charge, not below the rank of an Executive Engineer or equivalent.

2.4.2 (e)

2.4.2

Even though the bidders may meet the above qualifying criteria, they are subject to be disqualified if they have: -

- made misleading or false representations in the forms, statements, affidavits, and attachments submitted in proof of the qualification requirement:
- record of poor performance such as abandoning the works, not properly completion or financial failures etc.
- consistent history of litigation or arbitration awards against the bidder or any member or the joint venture.

Annexure B

SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
Bill no:-1:Di	smantling					
1.1	Clearing jungle including uprooting of rank vegetation, grass, brushwood, trees and saplings of girth upto 30cm measured at height of 1m above ground level and removal of rubbish upto a distance of 50m outside the periphery of the area cleared as per MoRTH clause no 201	Sqm	46746.05			
1.2	Scarification of flexible pavements upto 50mm and disposal of dismantled materials up to within all lead, stacking serviceable and unserviceable materials separately as per MoRTH clause no 202	Sqm	180.00			
1.3	Dismantling of flexible pavements and disposal of dismantled materials up to a lead of 1000 metres, stacking serviceable and unserviceable materials separately as per MoRTH clause no 202	Cum	1222.025			
Bill no:-2 : L	Earth work					
2.1	Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transporting to the embankment location within all lifts and lead as per MoRTH clause no 301					
	Ordinary Soil	Cum	5526.21			
2.2	Removal of unserviceable soil including excavation, loading and disposal upto within all lifts and lead but excluding replacement by suitable soil which shall be paid separately	Cum	552.62			
2.3	Construction of embankment with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacting to meet requirement of as per MoRTH clause 305.	Cum	14375.26			
2.4	Construction of embankment with approved materials deposited at site from roadway cutting and excavation from drain and foundation of other structures graded and compacted to meet requirement of table as per MoRTH clause 305.	Cum	4973.59			
2.5	Construction of earthen shoulders with approved material obtained from borrow pits with all lifts & leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of as per MoRTH clause 305					
	Rolling with vibratory roller	Cum	22873.22			

SI. No	BOQ for Lot 1 : Upgradatio Description	Unit	Qty	Rate in Word	Rate in figure	Amount
Bill no:-3 : 1	Pavement Work			1		
3.1	Construction of subgrade with approved material obtained from borrow pits with all lifts & leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of as per MoRTH clause 305	Cum	27872.975			
3.2	Construction of granular sub-base by providing close graded Material, mixing in a mechanical mix plant at OMC, carriage of mixed Material to work site, spreading in uniform layers with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per MoRTH clause 401	Cum	9997.523			
3.3	Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers with paver in subbase / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per clause 406 of MoRTH.	Cum	6333.933			
3.4	Providing and applying Prime coat with bitumen emulsion on prepared surface of granular Base including clearing of road surface and spraying Prime at the rate of 0.7 kg/sqm using mechanical means as per MoRTH clause 502	Sqm	60444.806			
3.5	Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 kg per sqm on the prepared bituminous/granular surface cleaned with mechanical broom as per MoRTH clause 503	Sqm	177991.917			
3.6	Providing and laying bituminous concrete with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder (VG-10) @ 5.4 to 5.6 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRTH specification clause No. 507 complete in all respects.	Cum	2580.800			

	BOQ for Lot 1 : Upgradatio	n of Ra	mbagh-Lasj	jan-Kadalbal		
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
3.7	Providing and laying graded dense bituminous macadam with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder (VG-10) @ 4.5 to 5.0 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 505 complete in all respects.	Cum	8542.669		J	
Bill no:-4:Cul	vert					
4.1	Earthwork in excavation of foundation for structures including pipe culverts in all types of soil including lead & lifts complete as per drawings and MORT&H specifications clauses 304 & 2903.	Cum	3521.29			
4.2	Back filling behind abutments, wing walls and return walls with selected granular material of approved quality with all leads and lifts complete as per drg. and MORT&H specifications clauses 305 & 2907.	Cum	147.52			
4.3	Filter media behind abutments, wing walls, & return walls, including all material, labour, equipment carriage etc. all complete as per drawing and Technical Specification Clauses 305, 309 & 2504.	Cum	170.57			
4.4	Providing & Laying Plain Cement Concrete levelling course in open foundation including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.					
	M-15 grade	Cum	97.90			
4.5	Providing & Laying Reinforced Cement Concrete in open foundation including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.					
	M-25 grade	Cum	454.20			
4.6	Cement Concrete / Reinforced Cement Concrete in sub-structure including form work but excluding reinforcement complete as per drg. and MORT&H specifications sections 1500, 1700 and 2200.					
	M-25 grade	Cum	402.02			
4.7	Reinforced Cement Concrete in super- structure including centring and shuttering but excluding reinforcement complete as per drg. and MORT&H specifications sections 1500, 1700 and 2300.					

	BOQ for Lot 1: Upgradatio	n of Ra	mbagh-Las	jan-Kadalbal		
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	M-25 grade	Cum	114.02			
4.8	Supplying, fitting & placing in position HYSD / TMT bar reinforcement complete as per drg. and MORT&H specifications sections 1600.					
(i)	Foundation	MT	17.58			
(ii)	Sub-structure	MT	19.25			
(iii)	Superstructure	MT	11.40			
4.90	Providing & fixing Bitumen impregnated fibre board expansion joints complete as per drg. and Technical specifications	М	168.00			
4.10	Providing weep holes in brick masonry / plain / reinforced concrete abutment, wing walls / return wall with 100mm dia AC pipe, extending through the full width of structure with slope of IV:20H towards draining face complete as per drg. and MORT&H specifications clause 2706.	Nr.	280.00			
4.11	Providing, laying & jointing RCC NP4 pipe including testing complete as per drg. & MORT&H specifications section 2900.					
	1200mm dia	М	9.75			
4.12	Rigid apron 150mm thick flat stone embedded in 300mm thick M-15 grade concrete as per drawing and technical specification Clause 2505.	Cum	1177.81			
4.13	Providing & laying stone boulder apron complete as per drg. & MORT&H specifications section 2500.	Cum	1276.74			
4.14	Providing & laying filter material underneath stone boulder pitching on slopes complete as per drg. and MORT&H specifications section 2500.	Cum	89.92			
4.15	Providing & laying stone boulder pitching on slopes complete as per drg. and MORT&H specifications section 2500.	Cum	179.84			
4.16	Providing & laying stone pitching on slopes for pipe culvert complete as per drg	Cum	16.59			
4.17	Providing & laying selected granular material for pipe bedding as per drg. and MORT&H specifications section 2900.	Cum	12.00			
4.18	plain cement concrete M-15 grade for head wall of culvert including centering and shuttering complete as per drawing and technical specification section 1500, 1700, 2100 and 2200.	Cum	503.40			
4.19	Providing and laying 12 mm thick mastic asphalt wearing course on top of deck slab excluding prime coat with paving grade bitumen meeting the requirements given in table 500-29, prepared by using mastic cooker and laid to required level and slope after cleaning the surface, including providing antiskid surface with bitumen	Sq.m.	282.50			

	BOQ for Lot 1: Upgradatio	n of Rar	mbagh-Lasj	jan-Kadalbal		
51. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	precoated fine grained hard stone chipping of 9.5 mm nominal size at the rate of 0.005cum per 10 sqm and at an approximate spacing of 10 cm center to center in both directions, pressed into surface when the temperature of surfaces not less than 100 deg. C, protruding 1 mm to 4 mm over mastic surface, all complete as per clause 515.)				3	
4.20	Drainage Spouts complete as per drawing and Technical specification	Nos	15.00			
4.21	PCC M15 Grade leveling course below approach slab complete as per drawing and Technical specification	Cum	61.20			
4.22	Reinforced cement concrete approach slab including reinforcement and formwork complete as per drawing and Technical specification	Cum	178.50			
Bill no:-05:D		l.		I		
5.1	Earthwork in excavation of foundation for structures including all types of soil including lead & lifts complete as per drawings and MORT&H specifications clauses 304 & 2903.	cum	8712.00			
5.2	Providing & Laying Plain Cement Concrete M-15 levelling course in open foundation including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.	cum	726.00			
5.3	Providing & Laying Reinforced Cement Concrete M-20 including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.	cum	6248.00			
5.4	Supplying, fitting & placing in position HYSD / TMT bar reinforcement complete as per drg. and MORT&H specifications sections 1600.	МТ	264.00			
Bill no:-06:7	raffic Signs, Marking and Appurtenances	;				
6.1	Retro- reflectorised Traffic signs (Providing and fixing of retro- reflectorised cautionary, mandatory and informatory sign as per IRC :67 made of encapsulated lens type reflective sheeting vide clause 801.3, fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 45 cm x 45 cm x 60 cm, 60 cm below ground level as per approved drawing)					
(i)	90 cm equilateral triangle (Give Way)	each	2			
(ii)	60 cm equilateral triangle	each	72			
(iii)	90 cm circular(Speed Limit at sharp bend)	each	4			

	BOQ for Lot 1: Upgradatio	n of Rar	mbagh-Lasj	an-Kadalbal		
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
(iv)	90cm x 30cm rectangular (Object hazard)	each	64			
(v)	60 cm x 45 cm rectangular (Place identification)	each	22			
(vi)	60 cm x 50 cm rectangular Chevron (at sharp bend)	each	10			
6.2	Direction and Place Identification signs upto 0.9 sqm size board. (Providing and erecting direction and place identification retroreflectorised sign asper IRC:67 made of encapsulated lens type reflective sheeting vide clause 801.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on a mild steel single angle iron post 75 x 75 x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 45 x 45 x 60 cm, 60 cm below ground level as per approved drawing)	sqm	3.24			
6.3	Road Marking with Hot Applied Thermoplastic Compound with Reflectorising Glass Beads on Bituminous Surface (Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and holes.)	sqm	3277.1			
6.4	Kilometre Stone (Reinforced cement concrete M15 grade kilometre stone of standard design as per IRC:8-1980, fixing in position including painting and printing etc)					
	5th kilometre stone (precast)	each	2			
	Ordinary Kilometer stone (Precast)	each	10			
	200 mt stone (Precast)	each	48			
6.5	Road Delineators (Supplying and installation of delineators (road way indicators, hazard markers, object markers), 80-100 cm high above ground level, painted black and white in 15 cm wide stripes, fitted with 80 x 100 mm rectangular or 75 mm dia circular reflectorised panels at the top, buried or pressed into the ground and confirming to IRC-79 and the drawings.)	each	232			
6.6	Boundary pillar (Reinforced cement concrete M15 grade boundary pillars of standard design as per IRC:25-1967, fixed in position including finishing and lettering but excluding painting)	each	120			
6.7	Road Markers/Road Stud with Lense Reflector (Providing and fixing of road stud 100x 100 mm, die cast in aluminium, resistant to corrosive effect of salt and grit, fitted with lense reflectors, installed in concrete or asphaltic surface by drilling hole 30 mm upto a depth of 60 mm and bedded in a suitable bituminous grout or epoxy mortar,	each	1792			

SI. No	Description	Unit	Qty	Rate in Word	Rate in	Amoun
	all as per BS 873 part 4:1973)				figure	
6.8	Convex Mirror at sharp curved	No	4			
l no:-07:F	Protection work			<u> </u>		
7.1	Earthwork in excavation of foundation for structures including pipe culverts in all types of soil including lead & lifts complete as per drawings and MORT&H specifications clauses 304 & 2903.	Cum	3064.22			
7.2	Filter media behind abutments, wing walls, & return walls, including all material, labour, equipment carriage etc. all complete as per drawing and Technical Specification Clauses 305, 309 & 2504.	Cum	1158.00			
7.3	Providing & Laying Plain Cement Concrete in M15 levelling course in open foundation including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.	Cum	3885.71			
7.4	Weep hole provided in drainage layer	Nos	2137.00			
	ironment and Social Management Plan.	Doots	F00			
8.1	SITE SAFETY MEASURES:. Barricading as per IRC SP-55 Rate shall be inclusive of cost of providing all materials and fixing arrangements, including excavation, transportion to site, fixing, backfilling, removal of the complete barricading after construction work is over and rehabilitation of the site etc., with all incidental charges, leads, lifts and all taxes and duties as applicable and as specified by Engineer-incharge. Material of barricading shall be the property of contractor after completion the work. Barricading shall be maintained	Rmtr	500			
	SITE SAFETY MEASURES:. Barricading as per IRC SP-55 Rate shall be inclusive of cost of providing all materials and fixing arrangements, including excavation, transportion to site, fixing, backfilling, removal of the complete barricading after construction work is over and rehabilitation of the site etc., with all incidental charges, leads, lifts and all taxes and duties as applicable and as specified by Engineer-incharge. Material of barricading shall be the property of contractor after completion the	Rmtr	500			

	BOQ for Lot 1: Upgradatio	n of Rai	mbagh-La	sjan-Kadalbal		
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	(SP:55, 2014) on the main road and along the access, including cost of boards and other materials required for fixing, with all incidental charges leads, lifts and all taxes as applicable from time to time and as specified by Engineer-in-charge					
8.3	Cost towards first aid and emergency response arrangements in the camp and worksite (including fire and electrical safety provisions)	Job	1			
8.4	Cost towards periodic health check-ups once in three months for all construction workers	Job	1			
8.5	Wet type portable toilet (MS fabricated) 2 seats (1 for men and 1 for women with separate entrances), fitted with 2000 liters capacity overhead tank and 500 liters capacity bottom tank, fitted with Indian type of pot with other facilities such as tap, lighting and ventilation; and sludge tank of capacity 1000L, and stationed at a suitable place in or around 50 meters from work front. Includes cost of water, cost for emptying of bottom tank through mobile suction machine, attendant cost for looking after cleaning and operation of the toilets, all materials and labour charges, all incidental charges, leads, lifts and all taxes as applicable from time to time and as specified by Engineer-in-charge.	No	2			
8.6	Dry type portable toilet (MS fabricated) (bio digestor) of approved design with 2 seats (one for men and one for women). Includes cost of water, cost for emptying of bottom tank through mobile suction machine, attendant cost for looking after cleaning and operation of the toilets, all materials and labour charges, all incidental charges, leads, lifts and all taxes as applicable from time to time and as specified by Engineer-in-charge.	No	2			
8.7	Providing of mobile drinking water counter/kiosk, fabricated from stainless steel with 300 liters capacity, with two taps and with bottom tank (300 litre holding capacity) to collect waste water and stationed at a suitable place within operational area, with one common attendant for both mobile toilet and drinking water kiosk. Cost includes	No	2			

	BOQ for Lot 1: Upgradation	n of Rai	mbagh-Las	sjan-Kadalbal		
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	charges for emptying bottom tank through suction machine, shifting cost of the kiosk from one operational area to another area, attendant cost for looking after cleaning and operation, all materials and all labour charges, all incidental charges, leads, lifts and all taxes as applicable from time to time and as specified by Engineer-in-charge				. 9	
8.8	OTHER ENVIRONMENT, HEALTH AND SAFETY MEASURES: Information dissemination about type and schedule of civil works, utility shifting/damage/emergency repairs, complaint handling and all such issues that affect public/near-by residents Road users close to the work zone. Dissemination modes to include display of banners/notices, distribution of handbills, organization of meetings and other appropriate means at least once in a month for the entire project duration.	Months	9			
8.9	Provision of Project Information Board in sheet steel and all supports, including fixing and maintenance during the entire project. Minimum board size should be 3 meters x 2 meters, with necessary information in English and local language written in black paint with white back ground. The board details and the required information will be furnished by the Engineer. The complete design, including logo and information to be displayed shall be approved by the Engineer	No	2			
8.10	Cost of environmental monitoring (air, water and noise) during entire construction period in line with parameters and frequency specified in the EMP. Ambient Air Quality-15000/Sample, Water Sample - 8000/Sample Ambient Noise Level-3000/sample (Sampling can be done only during day hours because of security reasons ((12 Hourly Ambient Air Quality Monitoring for PM2.5 PM10,SO2, Nox and CO) -Noise Levels (dB) for Day and Night, Water Monitoring -Parameters specified in EMP).(Once in Quarter (AAQ), Once in an Month (AAN), As Specified in EMP (Water Monitoring)	Job	1			

	BOQ for Lot 1: Upgradatio	n of Ran	nbagh-La	sjan-Kadalbal		
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
8.11	Construction of silt traps at the discharge points of channels into to fresh water bodies across the project road as per the Standard Details provided.	Rmt	500			
	Total Rid Cost in Figures (IND)					
	Total Bid Cost in Figures (INR) A					
	Total Bid Cost in Words (INR)					
	Provisional Sum B			1,00,00,000		
	Total Cost including provisional sum (A+B)					

BOQ for Lot 2

	BOQ for Lot 2: Upgrad	lation o	f Pampore	- Pulwama	Road	
51. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
Bill no:-	1:Dismantling					
1.1	Clearing jungle including uprooting of rank vegetation, grass, brushwood, trees and saplings of girth upto 30cm measured at height of 1m above ground level and removal of rubbish upto a distance of 50m outside the periphery of the area cleared as per MoRTH clause no 201	Sqm	204652.7			
1.2	Scarification of flexible pavements upto 50mm and disposal of dismantled materials up to within all lead, stacking serviceable and unserviceable materials separately as per MoRTH clause no 202	Sqm	130247			
Bill no:-	2 : Earth work					
2.1	Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transporting to the embankment location within all lifts and lead as per MoRTH clause no 301					
	Ordinary Soil	Cum	11018.32			
2.2	Removal of unserviceable soil including excavation, loading and disposal upto within all lifts and lead but excluding replacement by suitable soil which shall be paid separately	Cum	1101.83			
2.3	Construction of embankment with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacting to meet requirement of as per MoRTH clause 305.	Cum	72285.74			
2.4	Construction of embankment with approved materials deposited at site from roadway cutting and excavation from drain and foundation of other structures graded and compacted to meet requirement of table as per MoRTH clause 305.	Cum	9916.49			
2.5	Construction of earthen shoulders with approved material obtained from borrow pits with all lifts & leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of as per MoRTH					

SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	clause 305			7, 5, 5		
	Rolling with vibratory roller	Cum	52956.95			
Bill no:-	3 : Pavement Work					
3.1	Construction of subgrade with approved material obtained from borrow pits with all lifts & leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of as per MoRTH clause 305	Cum	105834.33			
3.2	Construction of granular sub-base by providing close graded Material, mixing in a mechanical mix plant at OMC, carriage of mixed Material to work site, spreading in uniform layers with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per MoRTH clause 401	Cum	46732.06			
3.3	Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the Material with water at OMC in mechanical mix plant carriage of mixed Material by tipper to site, laying in uniform layers with paver in sub- base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density as per clause 406 of MoRTH.	Cum	54522.14			
3.4	Providing and applying Prime coat with bitumen emulsion on prepared surface of granular Base including clearing of road surface and spraying Prime at the rate of 0.7 kg/sqm using mechanical means as per MoRTH clause 502	Sqm	260305			
3.5	Providing and applying tack coat with bitumen emulsion using emulsion pressure distributor at the rate of 0.25 kg per sqm on the prepared bituminous/granular surface cleaned with mechanical broom as per MoRTH clause 503	Sqm	520610			
3.6	Providing and laying bituminous concrete with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder (VG-10) @ 5.4 to 5.6 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers	Cum	10412.20			

	BOQ for Lot 2: Upgrad	lation o	f Pampore	- Pulwama	Road	
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	to achieve the desired compaction as per MoRTH specification clause No. 507 complete in all respects.					
3.7	Providing and laying graded dense bituminous macadam with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder (VG-10) @ 4.5 to 5.0 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification clause No. 505 complete in all respects.	Cum	36071.31			
Bill no:-	4:Culvert					
4.1	Earthwork in excavation of foundation for structures including pipe culverts in all types of soil including lead & lifts complete as per drawings and MORT&H specifications clauses 304 & 2903.	Cum	5466.99			
4.2	Back filling behind abutments, wing walls and return walls with selected granular material of approved quality with all leads and lifts complete as per drg. and MORT&H specifications clauses 305 & 2907.	Cum	248.93			
4.3	Filter media behind abutments, wing walls, & return walls, including all material, labour, equipment carriage etc. all complete as per drawing and Technical Specification Clauses 305, 309 & 2504.	Cum	77.00			
4.4	Providing & Laying Plain Cement Concrete levelling course in open foundation including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.					
	M-15 grade	Cum	3423.07			
4.5	Providing & Laying Reinforced Cement Concrete in open foundation including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.					
	M-25 grade	Cum	155.47			

	BOQ for Lot 2: Upgrad	lation o	f Pampore	- Pulwama	Road	
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
4.6	Cement Concrete / Reinforced Cement Concrete in sub-structure including form work but excluding reinforcement complete as per drg. and MORT&H specifications sections 1500, 1700 and 2200.					
	M-20 grade	Cum	14.90			
	M-25 grade	Cum	171.25			
4.7	Reinforced Cement Concrete in super- structure including centring and shuttering but excluding reinforcement complete as per drg. and MORT&H specifications sections 1500, 1700 and 2300.					
	M-25 grade	Cum	78.26			
4.8	Supplying, fitting & placing in position HYSD / TMT bar reinforcement complete as per drg. and MORT&H specifications sections 1600.					
	Foundation	MT	4.62			
	Sub-structure	MT	11.33			
	Superstructure	MT	4.50			
4.90	Providing & fixing Bitumen impregnated fibre board expansion joints complete as per drg. and Technical specifications	М	84.00			
4.10	Providing weep holes in brick masonry / plain / reinforced concrete abutment, wing walls / return wall with 100mm dia AC pipe, extending through the full width of structure with slope of IV:20H towards draining face complete as per drg. and MORT&H specifications clause 2706.	Nr.	448.00			
4.11	Providing, laying & jointing RCC NP4 pipe including testing complete as per drg. & MORT&H specifications section 2900.					
	1200mm dia	М	891.00			
4.12	Rigid apron 150mm thick flat stone embedded in 300mm thick M-15 grade concrete as per drawing and technical specification Clause 2505.	Cum	572.53			
4.13	Providing & laying stone boulder apron complete as per drg. & MORT&H specifications section 2500.	Cum	636.66			
4.14	Providing & laying filter material underneath stone boulder pitching on slopes complete as per drg. and MORT&H specifications section 2500.	Cum	36.84			
4.15	Providing & laying stone boulder pitching on slopes complete as per drg. and MORT&H specifications section	Cum	73.68			

SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	2500.			.,,,,	, .g c	
4.16	Providing & laying stone pitching on slopes for pipe culvert complete as per drg	Cum	1128.22			
4.17	Providing & laying selected granular material for pipe bedding as per drg. and MORT&H specifications section 2900.	Cum	1047.86			
4.18	plain cement concrete M-15 grade for head wall of culvert including centering and shuttering complete as per drawing and technical specification section 1500, 1700, 2100 and 2200.	Cum	2087.57			
4.19	Providing and laying 12 mm thick mastic asphalt wearing course on top of deck slab excluding prime coat with paving grade bitumen meeting the requirements given in table 500-29, prepared by using mastic cooker and laid to required level and slope after cleaning the surface, including providing antiskid surface with bitumen precoated fine grained hard stone chipping of 9.5 mm nominal size at the rate of 0.005cum per 10 sqm and at an approximate spacing of 10 cm center to center in both directions, pressed into surface when the temperature of surfaces not less than 100 deg. C, protruding 1 mm to 4 mm over mastic surface, all complete as per clause 515.)	Sq.m.	378.00			
4.20	Drainage Spouts complete as per drawing and Technical specification	Nos	6.00			
4.21	PCC M15 Grade leveling course below approach slab complete as per drawing and Technical specification	Cum	30.24			
4.22	Reinforced cement concrete approach slab including reinforcement and formwork complete as per drawing and Technical specification	Cum	88.20			
4.23	Slope Protection with Boulder Pitching for slab culvert	Cum	128.00			
4.24	Filter media for slab culvert	Sqm	678.67			
4.25	Asphaltic plug joint		62.70			
4.26	Dismantling					
(i)	Plain Cement Concrete	cum	40.72			
(ii)	Pipe	m	364.00			
(iii)	Brick / Stone Structures	cum	332.42			
Bill no:-	05:Drain					
5.1	Earthwork in excavation of foundation for structures including all types of soil	cum	31106.60			

SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	including lead & lifts complete as per drawings and MORT&H specifications clauses 304 & 2903.				, . .g c	
5.2	Providing & Laying Plain Cement Concrete M-15 levelling course in open foundation including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.	cum	2306.43			
5.3	Providing & Laying Reinforced Cement Concrete M-20 including centering and shuttering but excluding reinforcement all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.	cum	14169.50			
5.4	Supplying, fitting & placing in position HYSD / TMT bar reinforcement complete as per drg. and MORT&H specifications sections 1600.	MT	566.70			
5.5	Providing & Laying Plain Cement Concrete M-15 including centering and shuttering for saucer drain all complete as per drg. and MORT&H specifications sections 1500, 1700 and 2100.	cum	2.51			
Bill no:-	06:Traffic Signs, Marking and App	urtenanc	es			
6.1	Retro- reflectorised Traffic signs (Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC :67 made of encapsulated lens type reflective sheeting vide clause 801.3, fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 45 cm x 45 cm x 60 cm, 60 cm below ground level as per approved drawing)					
(i)	90 cm equilateral triangle (Give Way)	each	17			
(ii)	60 cm equilateral triangle	each	114			
(iii)	90 cm circular(Speed Limit at sharp bend)	each	20			
(iv)	90cm x 30cm rectangular (Object hazard)	each	392			
(v)	60 cm x 45 cm rectangular (Place identification)	each	23			
(vi)	60 cm x 50 cm rectangular Chevron (at sharp bend)	each	58			
6.2	Direction and Place Identification signs upto 0.9 sqm size board. (Providing and erecting direction and place identification retro-reflectorised sign	sqm	1.62			

	BOQ for Lot 2: Upgrad	lation o	f Pampore	- Pulwama	Road	
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	asper IRC:67 made of encapsulated lens type reflective sheeting vide clause 801.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on a mild steel single angle iron post 75 x 75 x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 45 x 45 x 60 cm, 60 cm below ground level as per approved drawing)					
6.3	Road Marking with Hot Applied Thermoplastic Compound with Reflectorising Glass Beads on Bituminous Surface (Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and holes.)	sqm	6011.39			
6.4	Kilometre Stone (Reinforced cement concrete M15 grade kilometre stone of standard design as per IRC:8-1980, fixing in position including painting and printing etc)					
(i)	5th kilometre stone (precast)	each	6			
(ii)	Ordinary Kilometer stone (Precast)	each	22			
(iii)	200 mt stone (Precast)	each	224			
6.5	Road Delineators (Supplying and installation of delineators (road way indicators, hazard markers, object markers), 80-100 cm high above ground level, painted black and white in 15 cm wide stripes, fitted with 80 x 100 mm rectangular or 75 mm dia circular reflectorised panels at the top, buried or pressed into the ground and confirming to IRC-79 and the drawings.)	each	604			
6.6	Boundary pillar (Reinforced cement concrete M15 grade boundary pillars of standard design as per IRC:25-1967, fixed in position including finishing and lettering but excluding painting)	each	182			
6.7	Weep hole provided in drainage layer	each	18890			
6.8	Road Markers/Road Stud with Lense Reflector (Providing and fixing of road stud 100x 100 mm, die cast in aluminium, resistant to corrosive effect of salt and grit, fitted with lense reflectors, installed in concrete or	each	5094			

	BOQ for Lot 2: Upgrad	dation o	f Pampore-	- Pulwama	Road	
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	asphaltic surface by drilling hole 30 mm upto a depth of 60 mm and bedded in a suitable bituminous grout or epoxy mortar, all as per BS 873 part 4:1973)					
6.9	Convex Mirror at sharp curved	No	28			
Bill No 7:	Environment and Social Managemen	nt Plan.				
7.1	SITE SAFETY MEASURES:. Barricading as per IRC SP-55 Rate shall be inclusive of cost of providing all materials and fixing arrangements, including excavation, transportion to site, fixing, backfilling, removal of the complete barricading after construction work is over and rehabilitation of the site etc., with all incidental charges, leads, lifts and all taxes and duties as applicable and as specified by Engineer-in-charge. Material of barricading shall be the property of contractor after completion the work. Barricading shall be maintained throughout the construction period. It should be installed in a manner so that one cannot crawl underneath it, should be sturdy enough to bear normal wear and tear at the construction site, should not topple off and hurt someone and should be strong enough to					
	withstand the elements, including high wind conditions.	Rmtr	500			
7.2	Provision, installation and maintenance of cautionary/warning signage, including diversion boards as per IRC specifications (SP:55, 2014) on the main road and along the access, including cost of boards and other materials required for fixing, with all incidental charges leads, lifts and all taxes as applicable from time to time	No	2			
7.3	and as specified by Engineer-in-charge Cost towards first aid and emergency	INO	2			
,.5	response arrangements in the camp and worksite (including fire and electrical safety provisions)	Job	1			
7.4	Cost towards periodic health check- ups once in three months for all construction workers	Job	1			
7.5	Wet type portable toilet (MS fabricated) 2 seats (1 for men and 1 for women with separate entrances), fitted with 2000 liters capacity overhead tank and 500 liters capacity bottom tank, fitted with Indian type of pot with other facilities such as tap, lighting and ventilation; and sludge tank of capacity 1000L, and stationed at a suitable	No	2			

	BOQ for Lot 2: Upgrad	dation o	f Pampore	- Pulwama	Road	
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	place in or around 50 meters from work					
	front. Includes cost of water, cost for emptying of bottom tank through					
	mobile suction machine, attendant cost					
	for looking after cleaning and operation					
	of the toilets, all materials and labour charges, all incidental charges, leads,					
	lifts and all taxes as applicable from					
	time to time and as specified by					
7.6	Engineer-in-charge. Dry type portable toilet (MS fabricated)					
7.0	(bio digestor) of approved design with					
	2 seats (one for men and one for					
	women). Includes cost of water, cost for emptying of bottom tank through					
	mobile suction machine, attendant cost					
	for looking after cleaning and operation					
	of the toilets, all materials and labour					
	charges, all incidental charges, leads, lifts and all taxes as applicable from					
	time to time and as specified by					
	Engineer-in-charge.	No	2			
7.7	Providing of mobile drinking water counter/kiosk, fabricated from stainless					
	steel with 300 liters capacity, with two					
	taps and with bottom tank (300 litre					
	holding capacity) to collect waste water and stationed at a suitable place within					
	operational area, with one common					
	attendant for both mobile toilet and					
	drinking water kiosk. Cost includes					
	charges for emptying bottom tank through suction machine, shifting cost					
	of the kiosk from one operational area					
	to another area, attendant cost for					
	looking after cleaning and operation, all materials and all labour charges, all					
	incidental charges, leads, lifts and all					
	taxes as applicable from time to time	No	2			
7.0	and as specified by Engineer-in-charge OTHER ENVIRONMENT, HEALTH	No	2			
7.8	AND SAFETY MEASURES:					
	Information dissemination about type					
	and schedule of civil works, utility shifting/damage/emergency repairs,					
	complaint handling and all such issues					
	that affect public/near-by residents					
	Road users close to the work zone. Dissemination modes to include					
	display of banners/notices, distribution					
	of handbills, organization of meetings					
	and other appropriate means at least					
	once in a month for the entire project duration.	Months	9			
7.9	Provision of Project Information Board					
-	in sheet steel and all supports,					
	including fixing and maintenance during the entire project. Minimum	No	2			

BOQ for Lot 2: Upgradation of Pampore- Pulwama Road						
SI. No	Description	Unit	Qty	Rate in Word	Rate in figure	Amount
	board size should be 3 meters x 2 meters, with necessary information in English and local language written in black paint with white back ground. The board details and the required information will be furnished by the Engineer. The complete design, including logo and information to be displayed shall be approved by the Engineer					
7.10	Cost of environmental monitoring (air, water and noise) during entire construction period in line with parameters and frequency specified in the EMP. Ambient Air Quality-15000/Sample , Water Sample -8000/ Sample Ambient Noise Level-3000/sample (Sampling can be done only during day hours because of security reasons ((12 Hourly Ambient Air Quality Monitoring for PM2.5 PM10,SO2, Nox and CO) -Noise Levels (dB) for Day and Night, Water Monitoring -Parameters specified in EMP).(Once in Quarter (AAQ) , Once in an Month (AAN) , As Specified in EMP (Water Monitoring)	Job	1			
7.11	Construction of silt traps at the discharge points of channels into to fresh water bodies across the project road as per the Standard Details provided.	Rmt	500			
	Total Bid Cost in Figures (INR) A					
	Total Bid Cost in Words (INR)					
	Provisional Sum B	2,00,00,000				
	Total Cost including provisional sum (A+B)					